

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(three near2 operand) with ((six or "6") near bits)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 07:51
S2	4	(three near2 operand) with ((six or "6") near bits)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 07:56
S3	4	(three near2 operand) with ((six or "6") near2 bits)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 07:56
S4	22	(three near2 operand) with ((six or "6" or two or "2") near2 bits)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 07:56
S5	86	(three near2 operand) with ((six or "6" or two or "2") near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:08
S6	78	(three near operand) with ((six or "6" or two or "2") near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:08

S7	14	((three near operand) with ((six or "6") near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:09
S8	259	((three or "3") near operand) with ((six or "6" or two or "2") near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:25
S9	178	((three or "3") near operand) with ((six or "6") near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:25
S10	0	((three or "3") near operand) with ((six or "6") near2 bit) with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:26
S11	177	((three or "3") near operand) with ((six or "6") near2 bit) and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:26
S12	190	((three or "3") near operand) with ((six or "6") near2 bit) and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:26
S13	0	((three or "3") near operand) with ((six or "6") near2 bit) with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:27

S14	192	((three or "3") near operand) with ((six or "6") near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:27
S15	192	((three or "3") near operand) with ((six or "6") near2 bits)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:27
S16	0	((three or "3") near operand) with ((six or "6") near2 bits) with parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:28
S17	0	((three or "3") near operand) with ((six or "6") near2 bits) with controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:28
S18	190	((three or "3") near operand) with ((six or "6") near2 bits) and process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:29
S19	0	((three or "3") near operand) with ((six or "6") near2 bits) with process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:33
S20	0	((three or "3") near operand) with ((six or "6") near2 bits) with intruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:33

S21	4	((three or "3") near operand) with ((six or "6") near2 bits) with opcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:34
S22	5	((three or "3") near operand) with ((six or "6") near2 bits) with (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:35
S23	8	((three or "3") near2 operand) with ((six or "6") near2 bits) with (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:44
S24	119	((three or "3") near2 operand) with bits with (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:47
S25	81	((three or "3") near2 operand) with bits with process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:47
S26	51	((three or "3") near operand) with bits with process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:47

11/24/2008 10:09:05 AM

C:\Documents and Settings\eunelus\My Documents\EAST\Workspaces\09640901.wsp